



## Pancake coil 0.1mm 0.2mm 0.3mm thick red copper 99.9% Pure copper foil tape for electrical

Our Product Introduction

for more products please visit us on [copper-solid.com](http://copper-solid.com)

### Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: IOS
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: contact us
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union,D/P
- Supply Ability: 90000ton




### Product Specification

- Adhesion: 3.5N/cm
- Adhesive: Acrylic
- Application: Electrical Insulation
- Surface Resistance: 0.02Ω
- Tensile Strength: 25N/cm
- Width: 50mm



### More Images



## Product Description

### Key attributes

#### Industry-specific attributes

Material	Copper Foil
Cu (Min)	99.97%
Alloy Or Not	Non-Alloy

#### Lead Time

Quantity (kilograms)	1 - 5000	5001 - 10000	> 10000
Lead time (days)	5	10	To be negotiated

#### Other attributes

Place of Origin	Shandong, China
Application	electrical,industry,etc.
Width	as required.
Grade	C11000,T2
Model Number	C11000,T2
Brand Name	Jin Shunlai
Processing Service	Bending, Welding, Decoiling, Cutting, Punching
Product Name	99.9% Pure copper tape / strip / foil
Color	Copper-colored
Shape	pancake coil
MOQ	300kg
Package	Sea Worthy Package
Delivery Time	within one week

Standard	ASTM GB JIS
Related products	copper foil copper tape copper coil
Keyword	99.9% Pure copper tape / strip / foil

Packaging & delivery

Package Type:	Export standard packing or according to customers's requirement <input type="text"/>
---------------	--

Supply Ability

Supply Ability	1000 Ton/Tons per Week
----------------	------------------------

Product Description

Type	strip,tape,band,coil,roll
Standard	ASTM B194 ASTM B569 JIS H3130 JIS3100 JIS3110 GB/T 2059 GB/T 2061

Material	C10100,C10200,C10300,C10400,C10500,C10700,C10800,C10910,C10920,C10930,C11000,C11300,C11400,C11500,C11600,C12000,C12200,C12300,C12500,C14200,C14420,C14500,C14510,C14520,C14530,C17200,C19200,C21000,C23000,C26000,C27000,C27400,C28000,C33000,C33200,C37000,C44300,C44400,C44500,C60800,C63020,C65500,C68700,C70400,C70620,C71000,C71500,C71520,C71640,C72200,etc
Width	30-1000mm
Thickness	0.1-3.0mm
Hardness	1/4 hard,1/2hard,full hard,soft,etc.
Surface	mill,polished,film-coated
Export to	Singapore,Indonesia,Ukraine,Korea,Thailand,Viet Nam,Saudi Arabia,Brazil,Spain,Canada,USA,Kuwait,Dubai,Oman,Kuwait,Peru,Mexico,Iraq,Russia,Malaysia,etc
Package	Standard export package or as required.
DELIVERY TIME	7-15 Days

#### **copper foil:**

It has a strong wear resistance. It has high strength, strong hardness and chemical resistance. It also has prominent machining

mechanical performance.

It can be made for a variety of deep-drawn and bending force components, such as pins, rivets, washers, nuts, ducts, barometers,

screens, radiator parts.

It has good mechanical properties, good plasticity in hot state, the cold plastic is acceptable, good machinability, easy welding

and welding, corrosion, is a widely used material.





**Wuxi Jinnuo copper Co.,Ltd**



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China